

THE BRITISH JOURNAL OF VENEREAL DISEASES

Issued under the auspices of the Medical
Society for the Study of Venereal Diseases

Editor :

L. W. HARRISON, D.S.O., F.R.C.P.(Ed.), M.B., Ch.B.

Assistant Editors :

E. T. BURKE, D.S.O., M.B., Ch.B. V. E. LLOYD, M.C., M.B., B.S.

Editorial Committee:

THE EDITORS


THE PRESIDENT, M.S.S.V.D. (*Ex-officio*)

T. E. OSMOND, B.A., M.B., M.R.C.S.

THE TREASURER, M.S.S.V.D. (*Ex-officio*)

H. M. HANSCHALL, D.S.C., M.R.C.S., D.T.M.

DR. NORAH WATTE



CONTENTS

	Page
I. Developments in the Treatment of Syphilis with Artificial Fever Therapy combined with Chemotherapy during the Past Decade	1
By Walter M. Simpson, M.D., F.A.C.P., H. Worley Kendell, M.D., and Donald Rose, M.D.	
II. Tryparsamide in Neurosyphilis	67
By R. C. L. Batchelor, M.B., F.R.C.S. (Edin.).	
III. Stovarsol in the Treatment of Congenital and Acquired Syphilis	87
By David Nabarro, M.D., F.R.C.P.	
IV. General Discussion on Tryparsamide and Stovarsol	118
V. Blood-Dyscrasia in the Treatment of Venereal Diseases	125
By E. T. Burke, D.S.O., M.B., Ch.B. (Glasg.).	
VI. Blood-Dyscrasia. Discussion	166
VII. Re-infection or Super-Infection in Neurosyphilis	170
By A. O. F. Ross, M.D., D.P.H.	
VIII. Book Reviews	175
IX. Directions to Contributors	183

SINGLE NOS.: 6/-

ANNUAL SUBSCRIPTION, 20/-

CONSTABLE & CO., LTD.

10 ORANGE STREET, LEICESTER SQUARE, LONDON, W.C.2

PRINTED IN GREAT BRITAIN

6209
THE

BRITISH JOURNAL OF VENEREAL DISEASES

Editor :

L. W. HARRISON

D.S.O., F.R.C.P.(Ed.), M.B., Ch.B.

LIBRARY
WASH. UNIV.
MED. SCHOOL

VOL. XVII

January, 1941, to December, 1941

CONSTABLE & CO., LTD.,
ORANGE STREET, LEICESTER SQUARE, LONDON, W.C.2

66075



Y8A98L1
VIRU. HEAW
J00H02 .J3M

CONTENTS

	PAGE
DEVELOPMENTS IN THE TREATMENT OF SYPHILIS WITH ARTIFICIAL FEVER THERAPY COMBINED WITH CHEMOTHERAPY DURING THE PAST DECADE. By WALTER M. SIMPSON, M.D., F.A.C.P., H. WORLEY KENDELL, M.D., and DONALD ROSE, M.D.	I
TRYPARSAMIDE IN NEUROSYPHILIS. By R. C. L. BATCHELOR, M.B., F.R.C.S. (Edin.).	67
STOVAR SOL IN THE TREATMENT OF CONGENITAL AND ACQUIRED SYPHILIS. By DAVID NABARRO, M.D., F.R.C.P.	87
GENERAL DISCUSSION ON TRYPARSAMIDE AND STOVAR SOL	118
BLOOD-DYSCRASIA IN THE TREATMENT OF VENEREAL DISEASES. By E. T. BURKE, D.S.O., M.B., Ch.B. (Glasg.)	125
BLOOD-DYSCRASIA (DISCUSSION)	166
RE-INFECTION OR SUPER-INFECTION IN NEUROSYPHILIS. By A. O. F. ROSS, M.D., D.P.H.	170
THE ERADICATION OF REFRACTORY GONOCOCCIC INFECTIONS BY COMBINED ARTIFICIAL FEVER-CHEMOTHERAPY. By WALTER M. SIMPSON, M.D., DONALD L. ROSE, M.D., and H. WORLEY KENDELL, M.D.	185
INTENSIVE TREATMENT OF GONORRHŒA AND NON-SPECIFIC URETHRITIS WITH SULPHAPYRIDINE. By LIEUTENANT-COLONEL A. J. KING, R.A.M.C., and MAJOR D. I. WILLIAMS, R.A.M.C.	202
INTENSIVE TREATMENT OF GONORRHŒA AND NON-SPECIFIC URETHRITIS WITH SULPHAPYRIDINE (DISCUSSION)	221
THE NECESSITY OF THE CLINICIAN MAKING THE BEST USE OF LABORATORY FACILITIES IN THE DIAGNOSIS OF VENEREAL DISEASES. By DR. I. N. ORPWOOD-PRICE	229
THE NECESSITY OF THE CLINICIAN MAKING THE BEST USE OF LABORATORY FACILITIES IN THE DIAGNOSIS OF VENEREAL DISEASES (DISCUSSION)	239

CONTENTS

	PAGE
SULPHATHIAZOLE IN THE TREATMENT OF GONORRHOEA. By R. C. L. BATCHELOR, M.A., M.B., F.R.C.S.Ed., D.P.H., MARJORIE MURRELL, M.B., F.R.C.S.Ed., and G. M. THOMSON, M.D., D.P.H.	244
THE PRESENT TREND OF INCIDENCE OF VENEREAL DISEASES IN ENGLAND AND WALES, AND METHODS OF CONTROL. By L. W. HARRISON, D.S.O., F.R.C.P.	249
THE PRESENT TREND OF INCIDENCE OF VENEREAL DISEASES IN ENGLAND AND WALES, AND METHODS OF CONTROL (DIS- CUSSION)	256
BOOK REVIEWS	175
DIRECTIONS TO CONTRIBUTORS	183
CORRESPONDENCE.	264
EDITORIAL NOTES	266

INDEX

ASYMPTOMATIC neurosyphilis, 39

BLOOD-DYSCRASIA in the Treatment of Venereal Diseases (E. T. Burke), 125
conclusions, 163
definitions, 125
discussion, 166

Book reviews :—

Burke (E. T.), Venereal Diseases, 175
Whitwell (J. R.), Syphilis in Earlier Days, 181

CHOROIDITIS, 43

Correspondence, 264

DEMENTIA paralytica, 31

tabetic form of (taboparesis), 34

Directions to contributors, 183

EFFECTS on experimental syphilis in rabbits of concurrent treatment with neoarsphenamine and artificially induced fever at 106.7° F. (41.5° C.) (table), 49

Eradication of Refractory Gonococcal Infections by Combined Artificial Fever-chemotherapy, The (Walter M. Simpson, Donald L. Rose, and H. Worley Kendell), 185

bibliography, 199

care of the patient during hospitalization, 189

comment, 197

criteria of cure, 191

evolution of fever dosage, 186

experimental data, 191

grouping of patients, 192

selection of patients for fever treatment, 188

age, 189

complications of the disease, 189

contacts, 189

duration of the disease, 188

previous chemotherapy, 188

sex, 189

summary and conclusions, 198

Experimental treatment of early syphilis with combined fever-chemotherapy, 45

Extra-ocular palsy, 44

Exudative uveitis, 42

GENERAL discussion on tryparsamide and stovarsol, 118

Gonorrhœa and Non-Specific Urethritis, Intensive Treatment of, with Sulphapyridine (Lieut.-Col. A. J. King and Major D. I. Williams), 202

advantages of the treatment, 218

comment, 217

comparison with patients suffering from gonorrhœa and treated with a routine non-intensive course, 209

comparison with patients suffering from non-specific urethritis treated with routine non-intensive course, 210

complications of treatment, 212

major toxic effects, 212

minor toxic effects, 212

complications of infection arising during treatment, 210

gonorrhœa treated intensively, 210

control cases of gonorrhœa, 211

non-specific urethritis treated intensively, 211

control cases of non-specific urethritis, 211

description of clinical material, 204

details of treatment, 205

disadvantages of the treatment, 218

discussion, 221

effect of duration of the infection upon the results of treatment, 210

immediate results of treatment, 208

non-specific urethritis treated intensively, 209

procedure for observation and tests of cure, 206

references, 220

summary, 219

toxic effects in the control group of 495 cases treated with the routine fourteen-day course of sulphapyridine, 217

ultimate results of treatment, 211

relapses, 211

Hyperthermia, 189

INDEX

- INCIDENCE of Venereal Diseases in England and Wales, The Present Trend of, and Methods of Control (L. W. Harrison), 249
civilian measures of control, 254
discussion, 256
Interstitial keratitis, 43
- LABORATORY Facilities in the Diagnosis of Venereal Diseases, The Necessity of the Clinician making the Best Use of (Dr. I. N. Orpwood-Price), 229
causative organisms of the various venereal diseases, 233
discussion, 239
four main functions of a V.D. laboratory, 229
Kahn test very useful when result of serum test is required in a hurry for special reasons, 232
- MENINGEAL neurosyphilis, 37
Meningovascular neurosyphilis, 39
- NEUROSYPHILIS, 2
artificial fever or malaria; treatment of, report by Ewalt and Ebaugh, University of Colorado, Denver, 10
average yearly clinical remission rates (cumulated) (table), 7
Bennett *et al.*, recent reports by, University of Nebraska, Omaha, 16
Bromberg, report by, Washington University, St. Louis, 19
dementia paralytica: classification of clinical groups in relation to clinical results (table), 15
dementia paralytica: types of treatment and clinical results during five-year period (table), 13
Hinsie and Blalock, reports by, New York State Psychiatric Institute and Hospital, New York, 23
hypertherm, the (illustration), 26
malaria therapy and artificial fever therapy, appraisal of, by Wagner-Jauregg, 2
meningeal, 37
meningovascular, 39
Neymann, recent report of, Northwestern University, Chicago, 22
non-specific therapy of syphilis, report of committee on, 4
personal experiences in the treatment of, 25
Trautman, reports by, U.S. Public Health Service, U.S. Marine Hospital, New Orleans, 20
vascular, 38
- OCULAR syphilis, 41
Optic atrophy, 44
Optic neuritis and neuroretinitis, 43
- PERSONAL experiences in experimental treatment of early syphilis with artificial fever combined with chemotherapy, 51
Post-arsphenamine blood-dyscrasia, 127
Whitehall series, 136
Post-sulphonamide blood-dyscrasia, 155
Prevention and treatment of blood-dyscrasia, 162
Primary, secondary and latent syphilis (table), 53
Promin, 194
- RE-INFECTION or Super-Infection in Neurosyphilis (A. O. F. Ross), 170
summary, 174
Resistant sero-positive latent syphilis, 45
- SERONEGATIVE, dark-field positive, primary syphilis, 53
Seropositive primary syphilis, 53
Short-term chemical treatment of early syphilis with artificial fever, possible intensification of, 55
Stovarsol, nomenclature and chemical considerations of, 90
effects of treatment, 105
toxic effects of, 106
Stovarsol in the Treatment of Congenital and Acquired Syphilis (David Nabarro), 87
material studied, 97
summary and conclusions, 114
treatment intensity index, 96
Sulfonamide compounds widely accepted as effective agents in the treatment of gonococcal infections, 185
Sulphathiazole in the Treatment of Gonorrhoea (R. C. L. Batchelor, Marjorie Murrell, and G. M. Thomson), 244
conclusions, 248
female cases, 246
complicated cases (table), 247
uncomplicated cases (table), 246
vulvo-vaginitis, 247
male cases, 244
toxic effects, 247
summary, 249
Syphilis, Developments in the Treatment of, with Artificial Fever Therapy combined with Chemotherapy during the Past Decade (Walter M. Simpson, H. Worley Kendell and Donald Rose), 1
discussion, 57

INDEX

- Syphilis, Developments in the Treatment of—*continued*.
 introduction, 1
 Kahn quantitative procedure as a therapeutic guide, value of, 56
 summary and conclusions, 59
- Syphilis, ocular, 41
 resistant sero-positive latent, 45
 secondary manifestations during first year of disease, 54
 secondary manifestations occurring between the first and second years of disease, 54
- TABES dorsalis, 35
- Tryparsamide and stovarsol, general discussion on, 118
- Tryparsamide in Neurosyphilis (R. C. L. Batchelor), 67
 acquired infection—men (table), 79
 women (table), 80
- Tryparsamide in Neurosyphilis—*continued*.
 congenital infection—males (table), 83
 females (table), 84
 living paretics—men (table), 80
 women (table), 81
 living tabetics—men (table), 82
 women (table), 83
 living tabo-paretics—men (table), 81
 women (table), 82
 optic atrophy—acquired infection—males (table), 84
 females (table), 85
 optic atrophy—congenital infection—males (table), 85
 females (table), 86
 tryparsamide in pregnancy—optic atrophy in the child (table), 86
- VASCULAR neurosyphilis, 38
- Venereal diseases in England and Wales, 249

IX

DIRECTIONS TO CONTRIBUTORS

ARTICLES for publication in this Journal and all communications respecting such articles should be addressed to the Editors, The British Journal of Venereal Diseases, c/o Messrs. Constable & Co., Ltd., 10 Orange Street, Leicester Square, London, W.C.2.

Articles submitted should be in the English language and if they have been published previously should be accompanied by acknowledgment of permission to republish.

The copyright of all matter published for the first time in this Journal is held by the BRITISH JOURNAL OF VENEREAL DISEASES.

Contributions should be concisely written and revised for press. They should be typewritten on one side of the paper only, with double spacing and a wide margin. Carbon copies are not acceptable and thin paper should not be used.

The names of the authors, their chief positions and, when appropriate, the department from which the work is produced should be indicated in the sub-title.

Illustrations and tables should be on separate sheets and not embodied in the manuscript. They should be numbered consecutively—Tables in Roman numerals and illustrations in Arabic figures. The top of each illustration should be clearly marked and the author's name written on the reverse side. Both illustrations and tables should be referred to in the text by their appropriate numbers. All illustrations should be supplied in a form suitable for photographic reproduction. Photographs and skiagrams must be clear black and white prints on glossy paper.

Drawings should be large scale in Indian ink on a smooth white surface. Graphs with colour representation are rarely acceptable for reproduction in colour. Colour drawings can be reproduced only by special arrangement; the loan of any illustration should be acknowledged in the legend.

BRITISH JOURNAL OF VENEREAL DISEASES

The legends should be typed separately from the illustrations and numbered. The magnifications of all photomicrographs should be indicated.

REFERENCES

References should be verified personally and listed at the end of the article in alphabetical order according to the first author's name as follows :—

References to Journals

Author's name and initials, (year), Journal, Volume number and page number.

E.g., STEVENSON, J., and SMITHER, D. Z. : (1905) *Brit. med. J.*, **63**, 2551. Titles of Journals should be abbreviated in accordance with the system used in the World List of Scientific Periodicals.

References to Books

Author's name and initials (year of publication). Title of book, place of publication and name of publisher.

Works by the same author should be arranged in chronological order. If more than one paper by an author has to be cited for the same year the different papers are easily distinguished by adding the letters *a*, *b*, *c*, etc. to each immediately after the date, *e.g.* (1905 *a*).

Each work should be cited in the text by the author's name and by year of publication, *e.g.*, Browning (1934).

ABBREVIATIONS

Abbreviations of words which are familiar to British readers are a great source of difficulty to readers in other countries.

The following abbreviations are examples of those which have caused such difficulties and should be written in full, G.C., W.R., R.B.C., W.B.C., M.O.H., B.P., L.C.C., N.V.D., B.M.R., T.B., K.J's., Sp. P., T.A.B., C.S., L.K., N.A.B., and C.S.F.

Abbreviations are permissible in charts and tables when their meanings are specified in the accompanying legend.